AMENDMENTS TO THE CLAIMS

The listing of claims provided below will replace all prior versions, and listings, of claims in the application.

Listing of Claims

- 1-18. (Cancelled)
- 19. (Currently amended) A method for prevention of chronic refractory graft rejection in a human lung transplant recipient comprising administering to the recipient, prior to the development of symptoms associated with <u>acute</u> transplant rejection, (i) an aerosolized composition comprising a therapeutic dose of cyclosporine and (ii) an effective amount of one or more other immunosuppressive agent.
- 20. (Previously presented) The method of claim 19, wherein the cyclosporine is administered as a dry powder in combination with a propellant.
- 21. (Previously presented) The method of claim 19, wherein the cyclosporine is dissolved in an organic solvent.
- 22. (Previously presented) The method of claim 19, 20 or 21 wherein the dose of cyclosporine is sufficient to achieve deposition levels ranging between 15 and 30 mg in a lung.
 - 23. (Cancelled)
- 24. (Currently amended) The method of claim 19, 20 or 21 wherein the aerosolized composition is co-administered with an effective amount of one or more other agent selected from the group consisting of an immunosuppressive agent and an anti-inflammatory reagent.

NY02:577896.4 2

25-29. (Cancelled)

30. (Currently amended) A method for prevention of <u>chronic refractory</u> graft rejection in a non-lung transplant recipient comprising administering to the non-lung transplant recipient, prior to the development of symptoms associated with <u>acute</u> transplant rejection, an aerosolized composition comprising: a dose of cyclosporine dissolved in an organic solvent, in an amount effective to prevent graft rejection.

31. (Currently amended) A method for prevention of <u>chronic refractory</u> graft rejection in a non-lung transplant recipient comprising administering to the non-lung transplant recipient, prior to the development of symptoms associated with <u>acute</u> transplant rejection, an aerosolized composition comprising:

- a dose of cyclosporine in dry powder form in an amount effective to prevent graft rejection; and
 - (ii) a propellant.

32-48. (Cancelled)

- (New) The method of claim 19, wherein the first administration occurs within 31 days of transplantation.
- $50. \qquad \text{(New) The method of claim 49, wherein the first administration occurs within 10} \\$ days of transplantation.
- (New) The method of claim 30, wherein the first administration occurs within 31 days of transplantation.
- (New) The method of claim 51, wherein the first administration occurs within 10 days of transplantation.

NY02:577896.4 3

- 53. (New) The method of claim 31, wherein the first administration occurs within 31 days of transplantation.
- (New) The method of claim 53, wherein the first administration occurs within 10 days of transplantation.

NY02:577896.4

4